

NOBLE'S FAMILY OF BATTERY BURNISHERS

MAXIMIZE EFFICIENCY AND RESULTS

SpeedGleam* 5 SpeedGleam* 7 SpeedGleam* Rider



PERFORMANCE AND PRODUCTIVITY

Ease of Use

Innovative design allows operators to maintain a safe ergonomic position when changing pads.

Low dBA

For noise sensitive environments decibels as low as 63 dBA on our walk-behind models to 69 dBA on our riders.

Dust Control

Units come standard with passive dust control. As an option, choose the industry's only active HEPA dust filtration.

CLEANING SOLUTIONS TAILORED TO YOUR NEEDS

RETAIL

Delivers high performance, high gloss results enabling your stores to reflect high cleaning standards to help drive repeat customer traffic and higher customer satisfaction.

BSC

Burnishers deliver consistent predictable results by providing managers the option to set operator controls which simplifies the burnishing operation and employee training.

EDUCATION

Students and staff require distraction-free environments for proper learning and the battery powered burnishers deliver with their emissions free, quiet operation while maintaining high gloss performance.

HEALTHCARE

Low noise levels and passive dust control or optional active HEPA air filtration helps keep patients, doctors, and families in a safe and comfortable environment and can assist in higher HCAHPS scores.











SpeedGleam® Rider BATTERY RIDER BURNISHER

Simplify Machine Operation and Maintenance

Automated head-lift and easy battery access allows for simple serviceability.

Customize Your Shine

With 3 speeds and 3 down pressure settings, you can use one machine for many applications and environments.

Engineered for Power and Performance

Accommodates small and large areas quickly and easily with over 20% more horsepower than the leading competitor.

Improve Indoor Air Quality

Active 4-stage HEPA filtration dust control system improves indoor air quality.

Improve Operator Comfort and Productivity

Ergonomically designed to make burnishing comfortable and can cover large areas quickly.

SpeedGleam® 5/SpeedGleam® 7 BATTERY WALK-BEHIND BURNISHER

Low Sound Levels

Ultra quiet machines - as low as 63 dBA - maintaining low sounds levels for operators and noise sensitive environment.

Environmental Benefits

Passive dust control filtration or optional active HEPA filtration - maintains indoor air quality.

Operator Safety

90 degree flip up head - enables a safe ergonomic position when changing pad.

Ease of Use

Choose between Set and Forget™ or optional actuated down pressure to allow supervisors to select ideal setting for all operators.

Productivity

Delivers high performance, propane-like gloss results.

Reduce Cost of Clean

Easy to identify yellow maintenance touch points and onboard reference materials help eliminate equipment breakdowns.







BATTERY BURNISHERS



SUSTAINABILITY

 Safer for the environment with no exhaust emissions and active HEPA dust filtration to protect indoor air quality.



HEALTH AND SAFETY

- Ultra quiet operation, as low as 63 dBA, on walk-behinds and 69 dBA on rider, maintain safe sound levels for operators.
- Ergonomic head designs maintain a safe position for operators when changing machine pads.
- Passive dust control or optional active HEPA filtration - helps to maintain a safe indoor air quality.
- No fumes or propane tank storage costs or concerns.



IMAGE

- Delivers propane like gloss results.
- Maximize shine with optimized down pressure and pad speed.
- Set and Forget™ or optional actuated down pressure on walk-behind models, or Quality Assurance Controls™ on our rider, allows supervisors to select optimal pad pressure for all applications.



REDUCE COST TO CLEAN

Reduce costly maintenance issues and downtime with the easy to identify yellow maintenance touch points.

TENNANTTRUE PARTS, SERVICE AND FINANCE SOLUTIONS

- Reduce rework, labor and safety costs by using only Tennant True parts and service.
- Ensure optimal cleaning performance by selecting a Tennant *True* Service program provided by a network of over 400 factory-trained Tennant service representatives.
- Improve uptime by leveraging Tennant True parts and service.
- Simplify budgeting by bundling Tennant True service plans, including parts, into the purchase or financing of your machine.



BATTERY BURNISHER FAMILY

	SPEEDGLEAM® 5		SPEEDGLEAM® 7		SPEEDGLEAM® RIDER	
BURNISHING SYSTEM	20 IN / 510 MM PAD ASSIST	20 IN / 510 MM PROPEL	24 IN / 610 MM PROPEL	27 IN / 690 MM PROPEL	24 IN / 610 MM PROPEL	27 IN / 690 MM PROPEL
Path width Productivity rate (max)	20 in / 16,260 ft²/hr / 1,510 m²/hr	510 mm 20,000 ft²/hr / 2,500 m²/hr	24 in / 610 mm 24,000 ft²/hr / 2,200 m²/hr	27 in / 690 mm 27,000 ft²/hr / 2,500 m²/hr	24 in / 610 mm 30,250 ft²/hr / 2,813 m²/hr	27 in / 690 mm 34,375 ft²/hr / 3,197 m²/hr
Productivity rate (2 in / 51 mm overlap)	13,500 ft²/hr / 1,260 m²/hr	18,000 ft²/hr / 1,670 m²/hr	22,000 ft²/hr / 2,000 m²/hr	25,000 ft²/hr / 2,300 m²/hr		_
PAD DRIVE SYSTEM						
Pad motor Pad speed Burnishing speed (variable)	36 V, 75 A, 2.8 hp max / 2.1 kW 2100 rpm		37 V, 90 A, 3.6 hp max / 2.6 kW 1875 rpm		4 hp direct drive 1,500-1,600 rpm	
Min Max Foward (as shipped)	Pad assist Pad assist	100 fpm / 30 mpm 200 fpm / 60 mpm		/ 30 mpm / 60 mpm	150 fpm / 45.7 mpm 200 fpm / 61.0 mpm	
Low Medium High Console programmable	_ _ _		- - -		150 fpm / 45.7 mpm 175 fpm / 53.3 mpm 200 fpm / 61.0 mpm	
Low Range	_		-		125, 150, 175 fpm / 38.1, 45.7, 53.3 mpm 250, 275, 300 fpm /	
High Range	-	_		_	76.2, 83.8, 91.4 mpm	
Transport speed (max)	_	240 fpm / 73 mpm	240 fpm	/ 73 mpm	435 fpm	/ 8 Kpmh
POWER SYSTEM						
Voltage Battery Wet/lead acid (standard) AGM (optional) Wet/lead acid (optional)	36 VDC 3 - 12V, 185 Ah 3 - 12V, 234 Ah 3 - 12V, 225 Ah		36 VDC 6 - 6V, 240 Ah 6 - 6V, 330 Ah 6 - 6V, 312 Ah 6 - 6V, 360 Ah		36 VDC 6 - 6V, 435 Ah 6 - 6V, 390 Ah —	
Battery run time*	185 Ah battery up to 2.0 hrs 225 Ah battery up to 2.5 hrs 234 Ah AGM battery up to 3.0 hrs		330 Ah battery up to 2.8 hrs 312 Ah AGM battery up to 2.8 hrs		_	
On-board charger	Yes		Yes		Yes	
DUST CONTROL SYSTEM						
Passive filtration 95% @ 0.3 microns Active HEPA filtration (optional) 99.97% @ 0.3 microns		95% @ 0.3 microns 99.97% @ 0.3 microns		99.97% @ 0.3 microns		
MACHINE SPECIFICATION: Length Width Height Weight (with batteries) Sound level (operator's ear) Passive	59 in / 1, 24.5 in / 43 in / 1, 507 lbs / 230 kg	,499 mm 622 mm ,092 mm 572 lbs / 259 kg	30 in / 762 mm 43 in / 616 lb / 279 kg	63 in / 1600 mm 31.5 in / 800 mm 1,092 mm 797 lb / 362 kg dBA	58.5 in / 1,486 mm 30.0 in / 762 mm 55 in / 1,397 mm 1,346 lbs. / 611 kg	58.5 in / 1,486 mm 31.5 in / 800 mm 55 in / 1,397 mm 1,350 lbs. / 612 kg
Active	64	dBA	63	dBA	69	dBA
APPROVALS						
ETL listed (U.S./Canada only) Yes WARRANTY			Yes		-	
See your local representative	e for warranty info	ormation				

See your local representative for warranty information.

Specifications subject to change without notice.



Engineered by Tennant Company the SpeedGleam® Burnisher family is the smart, reliable choice for your no-nonsense cleaning needs. Nobles 10400 Clean Street Eden Prairie, MN 55344-2650

USA/Canada: +1.800.553.8033 Quebec: +1.800.361.9050

^{*}Runtimes will vary depending upon battery size and feature set. These factors can include functions such as push vs. self-propel, passive vs. active dust control, low vs. high down pressure and pad selection.